


ROOF FRAMING PLAN

NOTES
1. TOS EL 244'-0" TYP UNLESS NOTED THUS (+/-_____) ABOVE/BELOW EL 244'-0"
2. SHOP PAINT (AP) UNO




TYP EXTERIOR ROOF DECK EDGE (A)




TYP FRAME AT OPNG IN METAL DECK ROOF (B)




SECTION 1

FIELD WARNING:
LIFT HOLE IS FOR SINGLE PIECE DEAD LOAD LIFT AND NOT TO BE USED FOR LIFTING MULTI-PIECE ASSEMBLY. LIFTING OF MULTI-PIECE ASSEMBLIES SHALL BE THE RESPONSIBILITY OF THE ERECTOR AND ALL LIFTING DEVICES AND LIFTING LOCATIONS SHALL BE DESIGNED BY THE ERECTOR.

ERECTOR NOTE:
ALL SHEAR TABS ARE ON THE EAST SIDE OF BEAMS RUNNING NORTH & SOUTH

ERECTION DRAWING
ERECT MEMBER WITH PIECE MARK TO END AS SHOWN

| REV. NO. | DATE | REVISION DESCRIPTION | BY / CHK | APP'L | SHOP | FIELD |
|---|---|---|---|---|---|---|
| 0 | | | | | | |

| REV. NO. | DATE | REVISION DESCRIPTION | BY / CHK | APP'L | SHOP | FIELD |
|---|---|---|---|---|---|---|
| 0 | | | JAN 09 2004 | | | |

CCN-003

DESIGN DWG REF: PWC620-S1-001-431 (2)

DRAWN MEI/JF DATE 11/03 CHKD DATE

STRUCTURE UNSTABLE UNTIL FIELD WORK COMPLETE. ERECTOR GUY AS REQUIRED.

UNO, PAINT PIECE MARK TO READ RIGHT SIDE UP ON LEFT END OF PIECE. ERECT WITH MARK AT SAME END AS SHOWN ON ERECTION PLAN & RIGHT SIDE UP.

AFCO STEEL
1423 EAST SIXTH STREET / POST OFFICE BOX 231 / AREA CODE 501-340-6200 / LITTLE ROCK, ARKANSAS 72203

| | | | |
|---|---|---|---|
| CUSTOMER | SUITT CONSTRUCTION | DRAWING NO. | E620-431 |
| JOB TITLE | LILLY PWC | | |
| STRUCTURE | BUILDING NO. 620 | | |
| LOCATION | MANASSES, VA. | CONTRACT NO. | 3227 |
| ARCH. OR ENGR. | JACOBS ENGINEER | | |